

188

Injection of 2 rabbits with linear 78-103 peptide
no 86-82 from TGF β .

| | | | | |
|----|-------|---------------|--------|---|
| 2 | " | with cyclized | 78-103 | " |
| no | 88-89 | | | |

Procedure: 2 mg / rabbit of each peptide

- 2 mg peptide were dissolved in 250 μ l DAW
- 0.5 mg Methylated BSA were ~~added~~ ^{added to the solution to couple the peptide} ~~added to the solution to couple the peptide~~
- ~~peptide~~ (Sigma A1003: MeBSA)
- vortex 30 s
- Added 250 μ l Freund's adjuvant complete
- mixed 1 h with homogenizer
- 0.5 ml solution was injected in each rabbit

Note : Both peptides were difficult to dissolve.
" " were not HPLC purified.

Injection of 2 rabbits : Linear TCR = β provide

Cyclic

x PG peptide

Procedure

except Freund's in complete adjacent was used

For Wayne: KLM-peptide was already capped
I only mixed to F.i. 25; mix 1h 4°C
inject 0.5 ml / 20151

Robb's m^c 1285 f₂ PG₂ AUF 1385
 1285

BEST AVAILABLE COPY

LJCRF

ANIMAL PROCEDURE REQUEST

(For procedures to be performed by Animal Facility personnel)
Return this form to the Animal Facility Office.

TODAY'S DATE: _____

| | | | | | |
|-------------------------|--------------------|-------|-----|---------|--|
| Principal Investigator | E. ROSLAHTI | Phone | 230 | Lab No. | |
| Investigator/Technician | LUCIA R. LARGUINHO | Phone | | Lab No. | |

This procedure relates to the project outlined on Animal Usage Form No. _____

Date or Dates on which this procedure is required (please allow 7 days for scheduling):

| | | | |
|---|--------------|--|---|
| 1 | 50 ml | (If more than 8 procedures are required, attach a second form) | 5 |
| 2 | " | | |
| 3 | Estom 100 ml | | |
| 4 | | | 8 |

Describe the procedure(s) required:

Vol. of blood to be collected each procedure: _____ ml.